



7-01-007

IV PUSH MEDICATION ADMINISTRATION (PRE-FILLED MEDICATION SYRINGE)

IV PUSH MEDICATION ADMINISTRATION **(PRE-FILLED MEDICATION SYRINGE)**

SUPPLIES:

- Medication syringe
- (2) Sodium Chloride (Saline) pre-filled syringe syringes
- (1) Heparin syringe pre-filled syringe, if indicated
- Alcohol or antiseptic wipes

PROCEDURE:

1. Clean work area. Wash hands thoroughly. Gather supplies.
2. Prepare your prefilled syringes for flushing your IV Catheter as instructed by your nurse.
3. Clean the injection cap on the end of your IV catheter with an alcohol/antiseptic wipe vigorously for 30 seconds and let air dry for 60 seconds.
4. Attach a prefilled Sodium Chloride/Saline syringe to the injection cap of your IV catheter and flush the IV catheter as instructed by your nurse.
5. Disconnect the syringe from the injection cap of your IV catheter and discard.
6. Clean the injection cap on the end of your IV catheter with an alcohol/antiseptic wipe vigorously for 30 seconds and let air dry for 60 seconds.
7. Attach the medication syringe to the end of the injection cap of your IV catheter.
8. Administer the medication as directed per your Chartwell Plan of Treatment.
9. Disconnect the medication syringe from the injection cap of your IV catheter and discard.
10. Clean the injection cap on the end of your IV catheter with an alcohol/antiseptic wipe vigorously for 30 seconds and let air dry for 60 seconds.
11. Attach a prefilled Sodium Chloride/Saline syringe to the injection cap of your IV catheter and flush the IV catheter as instructed by your nurse.
12. Disconnect the syringe from the injection cap of your IV catheter and discard.



7-01-007

IV PUSH MEDICATION ADMINISTRATION (PRE-FILLED MEDICATION SYRINGE)

IF YOUR IV CATHETER REQUIRES HEPARIN:

13. Clean the injection cap on the end of your IV catheter with an alcohol/antiseptic wipe vigorously for 30 seconds and let air dry for 60 seconds.
14. Attach a prefilled Heparin syringe to the injection cap of your IV catheter and flush the IV catheter as instructed by your nurse.
15. Disconnect the syringe from the injection cap of your IV catheter and discard.

SASH FLUSH PROCEDURE:

- S** Sodium Chloride ___ ml
- A** Administer medication as instructed by your nurse.
- S** Sodium Chloride ___ ml
- H** Heparin ___ ml (if required)